

# VISION-LITE

See the inner beauty



BUILDING GLASS EUROPE



SAINT-GOBAIN

# VISION-LITE

SEE THE INNER BEAUTY



## DESCRIPTION

VISION-LITE low-reflective coated glass has the property to significantly reduce the reflection of visible light on the surface of glass.

VISION-LITE is obtained by magnetically enhanced cathodic sputtering under vacuum conditions, by applying transparent coatings of metallic oxide to the glass.

## APPLICATIONS

VISION-LITE low reflective glass is ideal for all applications that require maximum transparency and unimpaired vision through the glass.

### Internal:

- Display cabinets in museums and protective screens for paintings;
- Display units and shop fronts;
- Internal partitions (hospitals, control rooms, TV studios etc.);
- Signage or advertising panels for railways, motorways and airports etc.

### External:

- Shop fronts and show rooms;
- Glazed areas in panoramic restaurants;
- Control towers, control rooms and observation rooms;
- Screens to separate spectators in terraced stadiums.

## ADVANTAGES



### Optimum vision

Very high transparency levels and very low residual reflectance (approximately 10 times less reflective than conventional glass) for improved visibility.



### Clarity of objects

Better contrast and color rendering.



### Acoustic insulation

Using STADIP SILENCE



### Enhanced thermal insulation

Properties with a low-emissivity coated glass.





## PERFORMANCES

Product	Light Transmittance	Light Reflectance
	LT [%]	LR [%]
DIAMANT, 8 mm	91	8
VISION-LITE STADIP PROTECT 44.2	96	1
VISION-LITE II, 8 mm	98	1

## RANGE

VISION-LITE is available on DIAMANT substrate as follows:

- Semi VISION-LITE: Monolithic, low reflective coating on only one side and annealed glass
- Semi VISION-LITE II: Monolithic, low reflective coating on only one side and to be tempered glass
- STADIP VISION-LITE: Laminated, low reflective coating on both sides and annealed glass
- VISION-LITE II: Monolithic low reflective coating on both sides and to be tempered glass



Product	Base glass	Thickness	Size*
Semi VISION-LITE	DIAMANT	4, 6, 8, 10	6000 x 3210
Semi VISION-LITE II		4, 6, 8, 10	
STADIP VISION-LITE		44.2, 55.2, 64.2, 66.2, 88.2, 1010.2	
VISION-LITE II**		6, 8, 10	

\* Other sizes available on request

\*\* A trimming of 2 cm over the edges is necessary

## PROCESSING AND INSTALLATION

VISION-LITE is a coated glass which is treated on both sides. It must be processed and installed in accordance with specific instructions.

### Important notes:

- For horizontal interior applications (museum display cabinets, shelves, tables etc), precautions must be taken to avoid frequent and excessive finger marks and the risk of scratching.
- The residual reflectance of VISION-LITE with two lowreflective coated sides is very low (approximately 1%).

It is however still visible under certain lighting conditions viewing angles and in certain surrounding environments. The residual reflectance depends on the angle from which it is viewed.



[bgp@saint-gobain.com](mailto:bgp@saint-gobain.com)

[www.saint-gobain-building-glass.pl](http://www.saint-gobain-building-glass.pl)  
[www.glassolutions.pl](http://www.glassolutions.pl)